Brain Research, 577 (1992) 356–357
Elsevier

Author Index

Adams, R.N., see Renner, K.J., 49
Angelucci, L., see Imperato, A., 194

Bakin, J.S., Lepan, B. and Weinberger, N.M., Sensitization induced receptive field plasticity in the auditory cortex is independent of CS-modality, 226
Becker, D.P., see Katayama, Y., 121
Beitz, A.J., see Lee, J.-H., 80
Bortolotti, F., see Cintra, A., 127
Bourdelais, A. and Kalivas, P.W., Apomorphine decreases extracellular GABA in the ventral pallidum of rats with 6-OHDA lesions in the nucleus accumbens , 306
Brady, D.R., Carey, R.G. and Mufson, E.J., Reduced nicotinamide adenine dinucleotide phosphate-diaphorase (NADPH-d) profiles in the amygdala of human and new world monkey (*Saimiri sciureus*), 236
Brandon, C., see Criswell, M.H., 101
Bredt, D.S., see Llewellyn-Smith, I.J., 337
Buonomano, D.V., Cleary, L.J. and Byrne, J.H., Inhibitory neuron produces heterosynaptic inhibition of the sensory-to-motor neuron synapse in *Aplysia*, 147
Byrne, J.H., see Buonomano, D.V., 147

Carey, R.G., see Brady, D.R., 236
Casolini, P., see Imperato, A., 194
Castiglia, C.M., see Saubermann, A.J., 64
Chalmers, J., see Pilowsky, P., 181
Chan, J., see Lustig, H.S., 343
Chapin, J.K., see Nicolelis, M.A.L., 134
Chen, S. and Hillman, D.E., Transient c-*fos* and dendritic spine plasticity in hippocampal granule cells, 169
Cintra, A. and Bortolotti, F., Presence of strong glucocorticoid receptor immunoreactivity within hypothalamic and hypophyseal cells containing pro-opiomelanocortic peptides, 127
Cleary, L.J., see Buonomano, D.V., 147
Collins III, W.F., Seymour, A.W. and Klugewicz, S.W., Differential effect of castration on the somal size of pudendal motoneurons in the adult male rat, 326
Costa, M., see Llewellyn-Smith, I.J., 337
Criswell, M.H. and Brandon, C., Cholinergic and GABAergic neurons occur in both the distal and proximal turtle retina, 101
Cuello, A.C., see Maysinger, D., 300

Dampney, R.A.L., see Li, Y.-W., 161
Daum, P.R., see Privitera, P.J., 73
Dawson, D.A., Robinson, M.J., Macrae, I.M., Reid, J.L. and McCulloch, J., Autoradiographic evaluation of forskolin and D_1 dopamine receptor binding in a rat model of focal cerebral ischaemia, 210
De Goeij, D.C.E., Jezova, D. and Tilders, F.J.H., Repeated stress enhances vasopressin synthesis in corticotropin releasing factor neurons in the paraventricular nucleus, 165
Degoma, E., see Parada, M.A., 218
Desaki, J., see Matsuda, S., 92
Dow, R.C., see Yau, J.L.W., 155

Eason, H., see Fifková, E., 331
Eigyo, M., see Katoh, A., 57

Fagioli, S., see Pavone, F., 347
Fernández-Sánchez, M.T., see Novelli, A., 41
Fifková, E., Eason, H. and Schaner, P., Inhibitory contacts on dendritic spines of the dentate fascia, 331
Fink, G., see Yau, J.L.W., 155
Foster, M.C., see Saubermann, A.J., 64
Fried, K., see Frisén, J., 142
Frisén, J., Risling, M., Theodorsson, E. and Fried, K., NPY-like immunoreactivity in sensory nerve fibers in rat sciatic neuroma, 142

Geula, C., see Mesulam, M.-M., 112
Glaser, J., Russell, V.A. and Taljaard, J.J.F., Rat brain hypothalamic and hippocampal monoamine and hippocampal β-adrenergic receptor changes during pregnancy, 293
Goiny, M., see Maysinger, D., 300
Greenberg, D.A., see Lustig, H.S., 343
Grimes, L., see Zhang, W.Q., 312
Grunfeld, S., see Joseph, R., 268

Hamanoue, M., see Nakajima, K., 285
Haring, J.H., Meyerson, L. and Hoffman, T.L., Effects of parachloroamphetamine upon the serotonergic innervation of the rat hippocampus, 253
Hatfield, R.H. and McKernan, R.M., CSF neuron-specific enolase as a quantitative marker of neuronal damage in a rat stroke model , 249
Haywood, J.R., see Martin, D.S., 261
Hernández, L., see Parada, M.A., 218
Herrera-Marschitz, M., see Maysinger, D., 300
Hiley, C.R., see Privitera, P.J., 73
Hill, D.R., see Privitera, P.J., 73
Hillman, D.E., see Chen, S., 169
Hirayasu, Y. and Wada, J.A., Convulsive seizures in rats induced by *N*-methyl-D-aspartate injection into the massa intermedia, 36
Hoffman, T.L., see Haring, J.H., 253
Hofmann, H.-D., see Huba, R., 10
Hong, J.S., see Zhang, W.Q., 312
Hou, Z.-l., see Wang, X.-M., 321
Huba, R., Schneider, H. and Hofmann, H.-D., Voltage-gated currents of putative GABAergic amacrine cells in primary cultures and in retinal slice preparations, 10

Iadarola, M.J., see Zhang, W.Q., 312
Imaoka, S., see Matsuda, S., 92
Imperato, A., Angelucci, L., Casolini, P., Zocchi, A. and Puglisi-Allegra, S., Repeated stressful experiences differently affect limbic dopamine release during and following stress, 194
Ishibashi, C., see Katoh, A., 57

Jezova, D., see De Goeij, D.C.E., 165
Joseph, R., Tsering, C., Grunfeld, S. and Welch, K.M.A., Further studies on platelet-mediated neurotoxicity , 268

Kalivas, P.W., see Bourdelais, A., 306
Kaneto, H., see Xu, Q., 189
Kashiba, H., Senba, E., Kawai, Y., Ueda, Y. and Tohyama, ., Axonal blockade induces the expression of vasoactive intestinal polypeptide and galanin in rat dorsal root ganglion neurons, 19
Katayama, Y., Tamura, T., Becker, D.P. and Tsubokawa, T., Early cellular swelling during cerebral ischemia in vivo is mediated by excitatory amino acids released from nerve terminals , 121
Katoh, A., Ishibashi, C., Shiomi, T., Takahara, Y. and Eigyo, M., Ischemia-induced irreversible deficit of memory function in gerbils, 57
Kawai, Y., see Kashiba, H., 19
Kispert, J., see Novelli, A., 41
Klugewicz, S.W., see Collins III, W.F., 326
Kohsaka, ., see Nakajima, K., 285
Kuczenski, R., see Segal, D.S., 351

Langan, T.J. and Slater, M.C., Astrocytes derived from long-term primary cultures recapitulate features of astrogliosis as they re-enter the cell division cycle, 200
Lee, J.-H. and Beitz, A.J., Electroacupuncture modifies the expression of c-*fos* in the spinal cord induced by noxious stimulation, 80
Lepan, B., see Bakin, J.S., 226
Li, Y.-W., Polson, J.W. and Dampney, R.A.L., Angiotensin II excites vasomotor neurons but not respiratory neurons in the rostral and caudal ventrolateral medulla, 161
Lin, R.C.S., see Nicolelis, M.A.L., 134
Llewellyn-Smith, I.J., see Pilowsky, P., 181
Llewellyn-Smith, I.J., Song, Z.-M., Costa, M., Bredt, D.S. and Snyder, S.H., Ultrastructural localization of nitric oxide synthase immunoreactivity in guinea-pig enteric neurons, 337
Loewen, J.J., Peters, R.I. and Terrian, D.M., Adenosine modulation of dynorphin B release by hippocampal synaptosomes, 318

Lustig, H.S., Von Brauchitsch, K.L., Chan, J. and Greenberg, D.A., Cyclic GMP modulators and excitotoxic injury in cerebral cortical cultures, 343

Macrae, I.M., see Dawson, D.A., 210
Martin, D.S. and Haywood, J.R., Sympathetic nervous system activation by glutamate injections into the paraventricular nucleus , 261
Matsuda, S., Desaki, J., Okumura, N., Shiosaka, S., Imaoka, S. and Sakanaka, M., Basic fibroblast growth factor-like immunoreactivity in the trigeminal proprioceptive and motor systems , 92
Maysinger, D., Herrera-Marschitz, M., Goiny, M., Ungerstedt, U. and Cuello, A.C., Effects of nerve growth factor on cortical and striatal acetylcholine and dopamine release in rats with cortical devascularizing lesions, 300
McCulloch, J., see Dawson, D.A., 210
McCullough, L.D. and Salamone, J.D., Increases in extracellular dopamine levels and locomotor activity after direct infusion of phencyclidine into the nucleus accumbens , 1
McKernan, R.M., see Hatfield, R.H., 249
Merchenthaler, I.J., see Zhang, W.Q., 312
Mesulam, M.-M. and Geula, C., Overlap between acetylcholinesterase-rich and choline acetyltransferase-positive (cholinergic) axons in human cerebral cortex , 112
Meyerson, L., see Haring, J.H., 253
Minson, J., see Pilowsky, P., 181
Mufson, E.J., see Brady, D.R., 236

Nakajima, K., Tsuzaki, N., Shimojo, M., Hamanoue, M. and Kohsaka, ., Microglia isolated from rat brain secrete a urokinase-type plasminogen activator , 285
Nicolelis, M.A.L., Chapin, J.K. and Lin, R.C.S., Somatotopic maps within the zona incerta relay parallel GABAergic somatosensory pathways to the neocortex, superior colliculus, and brainstem, 134
Novelli, A., Kispert, J., Fernández-Sánchez, M.T., Torreblanca, A. and Zitko, V., Domoic acid-containing toxic mussels produce neurotoxicity in neuronal cultures through a synergism between excitatory amino acids, 41

Okumura, N., see Matsuda, S., 92
Okumura, T., see Uryu, K., 175

Parada, M.A., Hernández, L. and Degoma, E., Serotonin may play a role in the anorexia induced by amphetamine injections into the lateral hypothalamus , 218
Pavone, F. and Fagioli, S., Serotonergic influence on cholinergic-induced analgesia: differences in two inbred strains of mice, 347
Pazos, L., see Renner, K.J., 49
Pennypacker, K.R., see Zhang, W.Q., 312
Peters, R.I., see Loewen, J.J., 318
Pilowsky, P., Llewellyn-Smith, I.J., Minson, J. and Chalmers, J., Sympathetic preganglionic neurons in rabbit spinal cord that project to the stellate or the superior cervical ganglion, 181
Pohl, M., Straub, H. and Speckmann, E.-J., Low magnesium-induced epileptiform discharges in guinea pig hippocampal slices: depression by the organic calcium antagonist verapamil, 29
Polson, J.W., see Li, Y.-W., 161
Privitera, P.J., Daum, P.R., Hill, D.R. and Hiley, C.R., Autoradiographic visualization and characteristics of [^{125}I]bradykinin binding sites in guinea pig brain , 73
Puglisi-Allegra, S., see Imperato, A., 194

Reid, J.L., see Dawson, D.A., 210
Renner, K.J., Pazos, L. and Adams, R.N., In vivo voltammetric evidence for the detection of norepinephrine release in the thalamus of freely moving rats, 49
Risling, M., see Frisén, J., 142
Robinson, M.J., see Dawson, D.A., 210
Russell, V.A., see Glaser, J., 293

Sakanaka, M., see Matsuda, S., 92
Sakanaka, M., see Uryu, K., 175
Salamone, J.D., see McCullough, L.D., 1
Saubermann, A.J., Castiglia, C.M. and Foster, M.C., Preferential uptake of rubidium from extracellular space by glial cells compared to neurons in leech ganglia, 64
Schaner, P., see Fifková, E., 331
Schneider, H., see Huba, R., 10
Seckl, J.R., see Yau, J.L.W., 155
Segal, D.S. and Kuczenski, R., Repeated cocaine administration induces behavioral sensitization and corresponding decreased extracellular dopamine responses in caudate and accumbens, 351
Senba, E., see Kashiba, H., 19
Seymour, A.W., see Collins III, W.F., 326
Shibasaki, T., see Uryu, K., 175
Shimojo, M., see Nakajima, K., 285
Shiomi, T., see Katoh, A., 57
Shiosaka, S., see Matsuda, S., 92
Silverman, W.F., Neuron-specific enolase reflects metabolic activity in mesencephalic neurons of the rat, 276
Slater, M.C., see Langan, T.J., 200
Snyder, S.H., see Llewellyn-Smith, I.J., 337
Song, Z.-M., see Llewellyn-Smith, I.J., 337
Speckmann, E.-J., see Pohl, M., 29
Straub, H., see Pohl, M., 29

Takahara, Y., see Katoh, A., 57
Takahashi, M., see Xu, Q., 189
Taljaard, J.J.F., see Glaser, J., 293
Tamura, T., see Katayama, Y., 121
Terrian, D.M., see Loewen, J.J., 318
Theodorsson, E., see Frisén, J., 142
Tilders, F.J.H., see De Goeij, D.C.E., 165
Tohyama, ., see Kashiba, H., 19
Torreblanca, A., see Novelli, A., 41
Tsering, C., see Joseph, R., 268
Tsubokawa, T., see Katayama, Y., 121
Tsuzaki, N., see Nakajima, K., 285

Uchida, K., Excitatory amino acid receptors appear to mediate paroxysmal depolarizing shifts in rat neocortical neurons in vitro, 151
Ueda, Y., see Kashiba, H., 19
Ungerstedt, U., see Maysinger, D., 300
Uryu, K., Okumura, T., Shibasaki, T. and Sakanaka, M., Fine structure and possible origins of nerve fibers with corticotropin-releasing factor-like immunoreactivity in the rat central amygdaloid nucleus, 175

Von Brauchitsch, K.L., see Lustig, H.S., 343

Wada, J.A., see Hirayasu, Y., 36
Wang, X.-M., Yuan, B. and Hou, Z.-l., ole of the deep mesencephalic nucleus in the antinociception induced by stimulation of the anterior pretectal nucleus in rats, 321
Weinberger, N.M., see Bakin, J.S., 226
Welch, K.M.A., see Joseph, R., 268

Xu, Q., Takahashi, M. and Kaneto, H., Dependency on the brain function of arginine vasopressin system of the development to and recovery from analgesic tolerance to morphine , 189

Yau, J.L.W., Dow, R.C., Fink, G. and Seckl, J.R., Medial septal cholinergic lesions increase hippocampal mineralocorticoid and glucocorticoid receptor messenger RNA expression, 155
Ye, H., see Zhang, W.Q., 312
Yuan, B., see Wang, X.-M., 321

Zhang, W.Q., Pennypacker, K.R., Ye, H., Merchenthaler, I.J., Grimes, L., Iadarola, M.J. and Hong, J.S., A 35 kDa Fos-related antigen is co-localized with substance P and dynorphin in striatal neurons, 312
Zitko, V., see Novelli, A., 41
Zocchi, A., see Imperato, A., 194